













# LogTag SA- Temperature recorders

Free software


## MULTI USE

MODEL	IMAGE	PRODUCT HIGHLIGHTS	LINK	PRICE
<b>TRIX - 8</b> (Who Pqs E06/06)		<b>All Purpose Temperature Recorder</b> <ul style="list-style-type: none"> <li>* Records and saves data for later download                             <ul style="list-style-type: none"> <li>* -40°C ~ +85°C</li> </ul> </li> <li>* Alert &amp; Ok indicator flashes</li> <li>* Complies with industry standards including EN12830. WHO PQS Code E06/06</li> </ul>		
<b>HAXO - 8 (RH)</b>		<b>RH and Temperature Recorder</b> <ul style="list-style-type: none"> <li>* Simultaneous measures Temperature and Humidity                             <ul style="list-style-type: none"> <li>* -40°C - +85°C Temp</li> </ul> </li> <li>* 0 to 100% Humidity (limitations)</li> </ul>		
<b>TRID30-7</b>		<b>Digital Display Recorder</b> <ul style="list-style-type: none"> <li>* Time / Temp display</li> <li>* 30 Day ALERT icon display</li> <li>* 30 day Min ~ Max display                             <ul style="list-style-type: none"> <li>* -30°C - +60°C Temp</li> </ul> </li> <li>* Download saved data</li> </ul>		
<b>UTRIX 16</b>		<b>USB – All Purpose Temperature Recorder</b> <ul style="list-style-type: none"> <li>* Downloads direct to PDF and with the FREE Logtag Analyzer software                             <ul style="list-style-type: none"> <li>* -30°C ~ +70°C</li> </ul> </li> <li>* 2 Year battery life</li> </ul>		
<b>UTRID 16</b> (Who Pqs E006/076)		<b>USB – PDF Digital Display Recorder</b> <ul style="list-style-type: none"> <li>* Downloads direct to PDF and with the FREE Logtag Analyzer software                             <ul style="list-style-type: none"> <li>* -30°C ~ +60°C</li> </ul> </li> </ul>		
<b>UHADO 16 (RH)</b>		<b>Digital Display RH and Temperature Recorder</b> <ul style="list-style-type: none"> <li>* Downloads direct to PDF via Micro USB and FREE Logtag Analyzer software                             <ul style="list-style-type: none"> <li>* Simultaneous measures Temperature and Humidity                                     <ul style="list-style-type: none"> <li>* -40°C - +85°C Temp</li> </ul> </li> <li>* 0 to 100% Humidity (limitations)</li> </ul> </li> </ul>		
<b>Micro USB - 1.5m</b>		USB micro-port for direct connection to a computer		





## MULTI USE - Continued

MODEL	IMAGE	PRODUCT HIGHLIGHTS	LINK	PRICE
<b>TRED30-16R</b>  <b>TRED30-16R KIT</b> (Logger, ST100K, WMB, Glycol bottle)  Cradle Required		<b>Digital Display Recorder</b>  * Audible alarm  * 30 Day Digital display alerts / Min ~ Max * External probe capable (excl.) * Replaceable battery unit * -40°C - +99°C Temp  * Downloads saved data		
<b>UTRED16-F</b>  <b>UTRED16-F KIT</b> (Recorder, ST100S -15 Probe and WMB)		<b>Digital Display with                      External Probe Capacity</b>  * Records Temperature using an external probe (excl.) * Downloads via USB - PDF and FREE Logtag Analyzer software * -40°C ~ +99°C		—
<b>UTRED30-16</b> Dual Probe  <b>UTRED30-16 KIT</b> Dual Probe (Recorder, ST100S -15 Probe and WMB)		<b>Large PDF Digital Display                      External Probe Capacity</b>  * Large easy to read display screen * Records Temperature using an external probe (excl.) * Downloads with USB cable * Replaceable battery unit * -40°C ~ +99°C	<b>1 Probe</b>  <b>2 Probes</b>	—
<b>TREX 8</b>  <b>TREX 8</b> (Recorder, ST100S -15 Probe and WMB)		<b>Temperature Recorder with                      External Probe Capacity</b>  * Records Temperature using as external probe (excl.) * -40°C ~ +85°C		—
<b>UTRED-WiFi KIT</b>		<b>Temperature Recorder                      (Includes: UTRED / Probe / Bracket)</b> * Real time WiFi to LTO (Cloud) - subscription * Email & SMS Alert  * USB & Battery Power  * Remote Online Access * -40°C - +99°C Temp		—  —
<b>VAXTAG</b>  (Who Pqs E006/TR06.3)		<b>Pre Configured 30 day                      Digital Display Recorder</b>  * 30 day Min ~ Max display / Alert * -30°C ~ +60°C  * Non reversible indicator		








## LOW TEMP MULTI USE

MODEL	IMAGE	PRODUCT HIGHLIGHTS	LINK	PRICE
<b>TRIL 8</b>		<p><b>Low Temperature Recorder</b></p> <ul style="list-style-type: none"> <li>* Dry Ice "Probe-less" Temperature recorder</li> <li>* -80°C ~ +40°C</li> <li>* Records and saves data for later download</li> <li>* Alert &amp; Ok indicator flashes</li> </ul>		
<b>TREL 8</b>  <b>TREL 8 KIT</b> (Recorder, ST10 Probe and WMB)		<p><b>Low Temperature Recorder</b></p> <ul style="list-style-type: none"> <li>* Records Temperature using an external probe (excl.)</li> <li>* -90°C ~ +40°C</li> <li>* Alert &amp; Ok indicator flashes</li> <li>* Records and saves data for later download</li> </ul>		—
<b>TREL30-16</b>  <b>TREL30-16 KIT</b> (Recorder, ST10S -30 Probe and WMB)		<p><b>Low Temperature Recorder</b> <b>Digital Display Recorder</b></p> <ul style="list-style-type: none"> <li>* Audible alarm</li> <li>* Records Temperature using an external probe (excl.)</li> <li>* -90°C ~ +40°C</li> <li>* Records and saves data for later download</li> </ul>		—
<b>UTREL 16</b>  <b>UTREL-16 KIT</b> (UTREL + Probe + WMB)		<p><b>Low Temperature Recorder</b> <b>Digital Display Recorder</b></p> <ul style="list-style-type: none"> <li>* Records Temperature using an external probe (excl.)</li> <li>* -90°C ~ +40°C</li> <li>* Downloads via USB - PDF and FREE Logtag Analyzer software</li> </ul>		—
<b>UTREL 30-16 Dual Probe</b>  <b>UTREL30-16 KIT</b> (UTREL + Probe +WMB) Dual Probe		<p><b>Low Temperature Recorder</b> <b>Digital Display Recorder</b></p> <ul style="list-style-type: none"> <li>* Records Temperature using an external probe (excl.)</li> <li>* -90°C ~ +40°C</li> <li>* Downloads via USB - PDF</li> </ul>	<b>1 Probe</b>  <b>2 Probes</b>	—
<b>UTREL 30 - WiFi</b>		<p><b>Low Temperature Recorder</b></p> <ul style="list-style-type: none"> <li>* Real time WiFi to LTO (Cloud) - subscription</li> <li>* Email &amp; SMS Alert</li> <li>* USB &amp; Battery Power</li> <li>* Remote Online Access</li> <li>* -90°C ~ +40°C</li> </ul>		—

## ACCESSORIES




MODEL	IMAGE	PRODUCT HIGHLIGHTS	LINK	PRICE
INTERFACE CRADLE		Compatible with all standard LogTag® recording products having 3 silver contact pins		
WiFi WMB		<p style="text-align: center;"><b>Wall Mounted Cradle to LTO</b></p> <div style="border: 1px solid black; padding: 5px; text-align: center;">                     (LTO) Logtag online – Cloud based data storage &amp; remote monitoring – POA                 </div>		
WALL MOUNTED BRACKET (WMB)		Easy and tidy solution to mounting a LogTag on a wall, door or vertical surface		
PROTECTIVE COVER		Designed for LogTag recorder products to allow use in harsh environments		

## PROBES

MODEL	IMAGE	PRODUCT HIGHLIGHTS	LINK	PRICE
ST100S - 15		30mm tip length, Ø5mm		
ST100T - 15		140mm tip length, Ø5mm		
ST100H - 15		Handled with 105mm tip length, Ø5mm		
ST100B - 15		Untipped (bare sensor)		
ST100K - 15		65mm tip length, Ø3,2mm		
ST100J - 15		40mm tip length, Ø3,2mm		
STX-50		5m Extension Cable sleeve length 28mm		

**Above also available in 3 Meter + R200.00**

## LOW TEMP PROBES







MODEL	IMAGE	PRODUCT HIGHLIGHTS	LINK	PRICE
ST10S - 05		Low Temp Probe (0,5m) - 2mm tip length, Ø5mm		
ST10S - 15		Low Temp Probe (1,5m) - 2mm tip length, Ø5mm		
ST10M - 15		Low Temp Probe (1,5m) - 73mm tip, Ø5mm		

**Above also available in 3 Meter + R200.00**

# LogTag SA- Temperature recorders

Free software

## SINGLE USE

MODEL	IMAGE	PRODUCT HIGHLIGHTS	LINK	PRICE
USRIC - 8		<p><b>USB – PDF Temperature Recorder</b></p> <ul style="list-style-type: none"> <li>* Downloads directly to PDF via USB</li> <li>* Single Use Recorder</li> <li>* No software required</li> <li>* Stickers and pouch included</li> </ul>		
USRIC - 4		<p><b>USB – Software Download with Logtag Analyzer</b></p> <ul style="list-style-type: none"> <li>* Downloads with the FREE Logtag Analyzer software via USB interface</li> <li>* Single Use Recorder</li> <li>* Stickers and pouch included</li> </ul>		
USRID - 16 (Who Pqs E006/070)		<p><b>Display USB - PDF Temperature Recorder</b></p> <ul style="list-style-type: none"> <li>* Downloads directly to PDF via USB</li> <li>* Single Use Recorder</li> <li>* No software required</li> <li>* Stickers and pouch included</li> </ul>		
SRIC - 4		<p><b>Temperature Recorder Cradle Download</b></p> <ul style="list-style-type: none"> <li>* Downloads with the FREE Logtag Analyzer software via USB interface</li> <li>* 2 Year battery life</li> <li>* Stickers Included</li> </ul>		
HASO - 8		<p><b>Humidity &amp; Temperature Recorder Cradle Download</b></p> <ul style="list-style-type: none"> <li>* Downloads with the FREE Logtag Analyzer software via USB interface</li> <li>* Single Use Recorder</li> <li>* Stickers Included</li> </ul>		
SRIL - 8		<p><b>Low Temperature Recorder Cradle Download with Logtag Analyzer</b></p> <ul style="list-style-type: none"> <li>* Downloads with the FREE Logtag Analyzer software via USB interface</li> <li>* Single Use Recorder</li> </ul>		
iSO Tag (Who Pqs E006/038)		<p><b>Freeze Indicator</b></p> <ul style="list-style-type: none"> <li>* Irreversible indicator &lt; 0°C</li> <li>* Single Trip recorder</li> <li>* -0°C ~ +8°C</li> </ul>		

## SERVICES, SOFTWARE and VIDEO'S

### SERVICES

#### Mapping (Temperature and Humidity):

Warehouse / Cold Room / Fridges / Vehicles / Stability Chambers

#### Temperature Monitoring solutions:

Sms alerts / Real time WiFi - LogTag On Line / SLA's / Calibrations

### SOFTWARE

#### Analyser:

### VIDEO'S

#### Logtag:

<https://www.youtube.com/watch?v=Sx0LeRg6FZQ>

#### ➤ Logtag – Configure your Logger:

[Configure the Logtag](#)

#### ➤ Logtag – Download your logger

Logtag full WHO range of Approved Loggers